COLLECTIONS 2023

LOOK INDEX

Concrete & Metal Look

METALUX 82-97 PIER 110-119

Stone **Look**

MAGMA 68-75

Marble **Look**

AMAZONITE	18-25
BUTTERFLY	26-29
CALACATTA	30-39
CARAVAGGIO	40-45
CARRARA	46-51
CRYSTAL	52-55
GIGA	56-63
LEGEND	64-67
MARVEL	76-81
MIDNIGHT	98-105
ONYX	106-109
PIETRA	120-123
PRIME	124-127
PULPIS	128-133
THUNDER	134-139
TOUCH	140-145
VENICE	150-155
VOLCANO	156-161

COLOR Look

UNICOLOR 146-149



Head Office : No.7, Bahar Dd.END Molasadra ST, Vanak , Tehran, IRAN Telefax : +9821 88069100-200

> palermoceram.com palermoslab.design





COLLECTIONS 2023



ALPHABETICAL INDEX

MAZONITE	18-25
UTTERFLY	26-29
ALACATTA	30-39
ARAVAGGIO	40-45
ARRARA	46-5
RYSTAL	52-55
iiga	56-63
EGEND	64-67
MAGMA	68-75
MARVEL	76-8
METALUX	82-97
MIDNIGHT	98-105
NYX	106-109
IER	110-119
IETRA	120-123
RIME	124-127
ULPIS	128-133
HUNDER	134-139
OUCH	140-145
INICOLOR	146-149
'ENICE	150-155
OLCANO	156-16 ⁻







INDEX

COMPANY

- 4-5 WHO WE ARE?
- 6 IMPROVED SIZES FOR WALL AND FLOOR.
- 6 EXCLUSIVE SURFACES
- 7 BASIC TERMINOLOGY
- 8-9 APPLICATIONS

PRODUCT FINDER

- 11 ALPHABETICAL INDEX
- 12-13 INDEX BY SIZE & SURFACES
- 14 LOOK INDEX
- 15 TILE COLLECTION

COLLECTIONS

18-161 SLAB BOOKS. 23

TECHNICAL SPECIFICATIONS

- 162 MAINTENANCE DURING BUILDING WORK
- 163 FEATURES OF PORCELAIN TILE: LAYING OR HANGING
- 164 TECHNICAL CHARACTERISTICS



Palermo is an Iranian company created to offer the market a high quality product with an original design with strong personality .

Palermo production philosophy based on this fact that nothing is impossible .Our team consist of a multidisciplinary of Iranian experts that efficiently combines creativity and experience, this is how we get a balance between innovation and quality . so we can serve what the market demands at all time .

Palermo company policy has always used advanced technology that is available in Italy whether in machinery or production . We try to meet all the requests of the various applicants .


Palermo is the first company that produce150X300cm slabs, We have this honor to say this size is one of its kind in the whole country .



IMPROVED SIZES FOR WALL AND FLOOR.

Palermo developed dedicated solutions for architecture and interior design, optimising modularity and surface dimensions.

The convenient sizes ideal for wall installation and the large Format porcelain stoneware slabs provide beauty and functionality every day.



EXCLUSIVE SURFACES.

The depth of ceramic culture is expressed through a range of unique processes, which create natural and silky effects, looks that resemble time-worn stones, and glossy and mirror surfaces; technological evolution is an unstoppable force, defining more and more exclusive products.








BASIC TERMINOLOGY

01	06	11
Design's Name	Regular Faces	Packing Information
02	07	12
Design's Texture	Symbols	Notice of production process
03	08	13
Shade Spectrum	Available Sizes	Product's Notice
04	09	14
Color Ranges	Product Details	Product's Body Detail
05	10	15
Number of Faces	Color Range & Codes	Page's Number





Wall Usage

Floor Usage

Minimum Joint

Thickness

Group

Medium Traffic





COLLECTIONS 2023

ALPHABETICAL INDEX


AMAZONITE	18-25
BUTTERFLY	26-29
CALACATTA	30-39
CARAVAGGIO	40-45
CARRARA	46-51
CRYSTAL	52-55
GIGA	56-63
LEGEND	64-67
MAGMA	68-75
MARVEL	76-81
METALUX	82-97
MIDNIGHT	98-105
ONYX	106-109
PIER	110-119
PIETRA	120-123
PRIME	124-127
PULPIS	128-133
THUNDER	134-139
TOUCH	140-145
UNICOLOR	146-149
VENICE	150-155
VOLCANO	156-161

	INDE SIZ &surface	X E		0x120 co		9 m	00x150 cs	m	12 47	0x240 cr	n	12 47	0x260 c	m or	155	0×300 cn "x118"	
	COLLECTIONS	PAGE	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX
	AMAZONITE Blue	18-21										•					
	AMAZONITE Green	22-25															
	BUTTERFLY	26-29															
	CALACATTA Gold	30-35	٠	٠								•			٠		
	CALACATTA Velvet	36-39	•						•			•			٠		
	CARAVAGGIO Black	40-43										•					
	CARAVAGGIO Brown	44-45										•					
	CARRARA	46-51	•														
	CRYSTAL White	52-55							•								
MARBLE LOOK	GIGA Gray	56-61							•			•					
MA	GIGA Gold	62-63															
	LEGEND	64-67															
	MARVEL	76-81	•	•					•			•	•		•		
	MIDNIGHT	98-105					·		•	٠		•	٠		٠	·	
	ONYX	106-109	٠						•						٠		
	PIETRA Dark Gray	120-123															
	PRIME Ivory	124-127	•						•			•			•		
	PULPIS Brown	128-131															
	PULPIS Dark Gray	132															

			тн	ICKNE	ss Nk	9 m	nm		Γ								
				20x120 c 7***x47**	m e		0x150 cr rx59*			20x240 cr 714*x94 ^{1/2}	m		0x260 c	m _{USP}		0x300 cr rx118"	
	COLLECTIONS	PAGE	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX	POLISHED	MATT	SEMILUX
	PULPIS Lion											•					
100K	THUNDER		٠			٠						•			•		
MARBLE LOOK	VENICE		•	•			٠		•			•	•		•	•	
	VOLCANO		٠									•					
	PIER Corten				•		٠									•	
	PIER Iron			•	•		٠				•						•
	PIER Steel			•	•		٠						٠			•	
ETE & LOOK	PIER Zinc			•	•		٠			•	•		•			•	
CONCRETE & METAL LOOK	METALUX Graphite			•	•									•			
	METALUX Mint	86-89		•	•									•			
	METALUX Navy													•			
	METALUX Smoky	94-97		•	•									•			
ЭК	MAGMA Anthracite	68-71		•									٠				
STONE LOOK	MAGMA Gray			•									٠				
	TOUCH Dark Gray			•									٠			٠	
	UNICOLOR Anthracite	e 146-149								-			٠			•	
COLOR LOOK	UNICOLOR Black									•			٠			•	
	UNICOLOR White									•			٠			•	

LOOK INDEX

Concrete	82-97	METALUX
& Metal Look	110-119	PIER
Chanal and	60.75	1446144
Stone Look	68-75	MAGMA
Marble Look	18-25	AMAZONITE
	26-29	BUTTERFLY
	30-39	CALACATTA
	40-45	CARAVAGGIO
	46-51	CARRARA
	52-55	CRYSTAL
	56-63	GIGA
	64-67	LEGEND
	76-81	MARVEL
	98-105	MIDNIGHT
	106-109	ONYX
	120-123	PIETRA
	124-127	PRIME
	128-133	PULPIS
	134-139	THUNDER
	140-145	TOUCH
	150-155	VENICE
	156-161	VOLCANO
601.0011	116 110	LINICOLOR
COLOR Look	146-149	UNICOLOR




The samples photographed are intended to give an approximate idea of the product; the colours and textures shown are not binding.

SLAB BOOK. 23



Amazonite








100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



REGULAR PATTERN 120x240 cm - 47"x94"





The production process does not guarantee continuity in the design of the verining among the various pieces provided. Any misalignment between the continuous verining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


Sizes	Thickness	Surface Finish	Numbe
0x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Fa
0x260 cm - 47"x102"	₹ 9 mm	POLISHED	8 Fa

COLOR RANGE & CODES




ACKING IN	IFORMATION	I	PCS / BOX M²/ PCS							KG / BOX PALLET		
SIZES	THICKNESS	SURFACES										
120x240 cm		NESS POUSHED 1 PCS		M ²	2.88	KG.	63	35 PCS	M ²	100.8	KG.	2205
47"x95"	tem THICKNESS		1 PCS	SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861
120x260 cm	200000	POLISHED	4.000	M ²	3.12	KG.	69	33 PCS	M ²	102.96	KG.	2277
47"x102"	9mm THIONESS		1 PCS	SQ. FT.	33.5	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
- Inside the pallet foam is placed between the slabs .



Amazonite








100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



REGULAR PATTERN 120x240 cm - 47"x94"





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number Faces
20x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Fac
20v260 cm - 47*v102	* 0 mm	POLICHED	9 520

COLOR RANGE & CODES




ACKING IN	IFORMATION	I	PCS / BOX M² / PCS		KG/PCS BO			M ² / BOX PALLET		KG / BOX PALLET	
SIZES	THICKNESS	THICKNESS SURFACES									
120x240 cm		POUSHED 1 PCS		M ²	2.88	KG. 63	25.000	M ²	100.8	KG.	2205
47"x95"	tem THICKNESS		1 PCS	SQ. FT.	31	LBS.	139	35 PCS	SQ. FT.	1085	LBS.
120x260 cm	ton THIONESS	POLISHED	1 PCS MP 3.12 KG. 69 MP SQ. FT. 33.5 LBS. 152 SQ. F	M ²	102.96	KG.	2277				
47"x102"	Seem THICKNESS	POLISHED		SQ. FT.	33.5	LBS.	152	33763	SQ. FT.	1108	LBS.

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .











PORCELAIN STONEWARE - NORMAL BODY

A B

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN


BOOK MATCHING



The production process does not guarantee continuit y in the design of the veilning among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative, the shades and veinings of the product may be subject to variations.

120x260 cm - 47"x102" ₹ 9 mm

SPECIAL KITS FOURMATCH



KIT ENDLESS



COLOR RANGE & CODES

▲ Layout 1







ACKING IN	IFORMATION	Ī	PCS / BOX						
SIZES	THICKNESS	SURFACES							
120x260 cm		POLISHED	4.000	M ² 3.12	KG. 69	22.000	M ² 102.96	KG. 2277	
47"x102"	#mm THICKNESS	POLISHED	1 PCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020	

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .




Calacatta






100% DESIGN AND PRODUCTION PROCESS OF ITALIAN







The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.




Sizes	Thickness	Surface Finish	Number o Faces		
120x120 cm - 24"x48"	₹ 9 mm	POLISHED - MATT	16 Face		
120x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Faces		
120x260 cm - 47"x102"	₹ 9 mm	POLISHED	8 Face		
150x300 cm - 59"x118"	₹ 9 mm	POLISHED	4 Faces		




⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .








COLOR RANGE & CODES

Very policies			the same in a	The state of the s
CALACATTA GOLD	0	5105	CALACATTA GOLD BookMatch Face A 5110	CALACATTA GOLD BookMatch Face 8 5115


ACKING INFORMATION			PCS / BOX									
SIZES THICKNESS SURFACES												
120x120 cm			1000	M ²	1.44	KG.	32		M ²	64.8	KG.	1440
47"x47"	9mm THICKNESS	MATT - POLISHED	1 PCS	SQ. FT.	15.5	LBS.	70.5	45 PCS	SQ. FT.	697.5	LBS.	3175
120x240 cm			4.000	M ²	2.88	KG.	63	25.000	M ²	100.8	KG.	2205
47"x95"	9mm THICKNESS	POUSHED	1 PCS	SQ. FT.	31	LBS.	139	35 PCS	SQ. FT.	1085	LBS.	4861
120x260 cm	. Transacco	001171170	4.000	M ²	3.12	KG.	69	22.055	M ²	102.96	KG.	2277
47"x102"	tem THICKNESS	POLISHED	1 PCS	SQ. FT.	33.5	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020
150x300 cm	Toposite	250000	4.000	M ²	4.5	KG.	100	22.000	M ²	99	KG.	2200
59"x118"	team THICKNESS	POUSHED	1 PCS	SQ. FT.	48.5	LBS.	220	22 PCS	SQ. FT.	1065.6	LBS.	4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .



Calacatta





100% DESIGN AND PRODUCTION PROCESS OF ITALIAN







The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
20x120 cm - 24"x48"	₹ 9 mm	POLISHED	16 Faces
20x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Faces
20x260 cm - 47"x102"	₹ 9 mm	POLISHED	8 Faces
50x300 cm - 59"x118"	₹ 9 mm	POLISHED	4 Faces



CALACATTA VELVET 5035


⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .




Caravaggio

Caravaggio









REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number Faces
120v260 cm - 47*v102*	₹ 9 mm	POLISHED	8 Fac

COLOR RANGE & CODES



			PCS / BOX				PCS					
SIZES	THICKNESS	SURFACES					9					9
0x260 cm	teen THICKNESS	000000	4.000	M²	3.12	KG.	69	22.000	M ²	102.96	KG.	2277
x102"	9mm IHICKNESS	POUSHED	1 PCS	SQ. FT.	33	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .

Caravaggio

SHADE SPECTRUM










REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number o Faces
120v260 cm - 47*x102*	* 9 mm	POLISHED	8 Face

COLOR RANGE & CODES



			PCS / BOX				PCS					
SIZES	THICKNESS	SURFACES										3
120x260 cm		000000	4.000	M²	3.12	KG.	69	22.000	M ²	102.96	KG.	2277
47"x102"	tenn THICKNESS	POLISHED	1 PCS	SQ. FT.	33	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	502

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

100% DESIGN AND PRODUCTION PROCESS
OF ITALIAN

⁻ Inside the pallet foam is placed between the slabs .

Carrara



Carrara

SHADE SPECTRUM





REGULAR PATTERN 120x240 cm - 47"x94"



The production process does not guarantee continuit y in the design of the veilning among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative, the shades and veinings of the product may be subject to variations.

120x120 cm - 24"x48" 120x240 cm - 47"x94" ₹ 9 mm ₹ 9 mm

16 Faces POLISHED 8 Faces

SPECIAL KITS



COLOR RANGE & CODES

CARRARA 5240 CARRARA Book Match Face A 5245 CARRARA Book Match Face B

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .





			PCS / BOX						
SIZES	THICKNESS	SURFACES							
120x120 cm		POUSHED		M ² 1.44	KG. 32	** ***	M ² 64.8	KG. 1440	
47"x47"	tens THIONNESS		1 PCS	SQ. FT. 15.5	LBS. 70.5	45 PCS	SQ. FT. 697.5	LBS. 3175	
120x240 cm				M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205	
47"x95"	tem THICKNESS	POUSHED	1 PCS	SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861	


⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .

Crystal











100% DESIGN AND PRODUCTION PROCESS OF ITALIAN





REGULAR PATTERN 120x240 cm - 47"x94"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

 Sizes
 Thickness
 Surface Finish Faces
 Number of Faces

 120x240 cm - 47"x94"

 ∑ 9 mm
 POLISHED
 8 Faces

COLOR RANGE & CODE

CRYSTAL WHITE	5090

PACKING INFORMATION			PCS / BOX								
SIZES	THICKNESS	SURFACES									
120x240 cm		(1)(2)((a)(2)()		M ² 2.88	KG.	63		M ²	100.8	KG.	2205
47"x95"	from THICONESS	POLISHED	1 PCS	SQ. FT. 31	LBS.	139	35 PCS	SQ. FT.	1085	LBS.	4861

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .

























100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


 Surface Finish
 Number of Faces

 POLISHED
 8 Faces

 POLISHED
 8 Faces

SPECIAL KITS 4 Match

DIAMOUND BOOK MATCHING





COLOR RANGE & CODES

GIGA Gold	5040	GIGA Gray	5045	GIGA Gold Book Match	5050
GIGA Gray 4 Match Face 1	5070	GIGA Gray 4 Match Face 2	5075	GIGA Gray Book Match	5055

ACKING INFORMATION		PCS / BOX										
SIZES	THICKNESS	SURFACES										
120x240 cm 47*x95*	tenn THICKNESS	POLISHED	1 PCS	M ² 2	2.88	KG.	63	35 PCS	M ²	100.8	KG.	2205
				SQ. FT.	31	LBS.	139		SQ. FT.	1085	LBS.	4861
120x260 cm 47*x102*	Seven THICKNESS	INESS POUSHED	4.000	M ² 3	3.12	KG.	69	33 PCS	M ²	102.96	KG.	2277
			1 PCS	SQ. FT. 3	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .
















100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces		
0x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Faces		
0x260 cm - 47"x102"	₹ 9 mm	POLISHED	8 Faces		

SPECIAL KITS BOOKMATCH 120x240 cm - 47"x94" 120x260 cm - 47"x102"

PACKING INFORMATION			PCS / BOX	M²/ PCS	KG / PCS	BOX / BOX PALLET	M²/ BOX PALLET	KG / BOX PALLET
SIZES THICKNESS SURFACES								
120x240 cm	Seen THICKNESS	POUSHED	1 PCS	M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205
47°x95°				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm	tens THICKNESS	POLISHED POLISHED	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
47"×102"			1 PCS	SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

Layout 2

AA

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .



Legend











SPECIAL KITS BOOKMATCH 120x240 cm - 47"x94"



COLOR RANGE & CODES



PACKING INFORMATION SIZES THICKNESS SURFACES			PCS / BOX					
120x240 cm	Serves THOCKNESS	POLISHED	1 PCS	M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205
47"x95"				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
150x300 cm	Seem THICKNESS	POUSHED	1 PCS	M ² 4.5	KG. 100	22 PCS	M ² 99	KG. 2200
59"x118"				SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .





















Z Z JOINT Same





REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes 120x120 cm - 24"x48"

120x260 cm - 47"x102" \$\frac{x}{2} 9 mm


Thickness

MATT

Number of Faces 16 Faces 8 Faces

T 16 Fa

SQUARE PATTERN 120x120 cm - 48"x48"




MAGMA ANTHRACITE

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .



















REGULAR PATTERN 120x260 cm - 47"x102"



MAGMA GRAY	5255	MAGMA ANTHRACITE	5260

	THICKNESS	SURFACES	PCS / BOX	M ² / PCS		KG / PCS			M*/ BOX PALLET		KG / BOX PALLET	
SIZES												
120x120 cm				M ²	1.44	KG.	32	45.000	M ²	64.8	KG.	1440
47°x47°	tem THONESS		1 PCS	SQ. FT.	15.5	LBS.	70.5	45 PCS	SQ. FT.	697.5	LBS.	3175
120x260 cm	160 cm mm THOONESS MATT	MATT	1 PCS	M ²	3.12	KG.	69	33 PCS	M ²	102.96	KG.	2277
47"x102" 5mm	see ITHUNESS	MATT		SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020


⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .





PORCELAIN STONEWARE - NORMAL BODY




A B









The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	₹ 9 mm	POLISHED - MATT	16 Face
120x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Face
120x260 cm - 47"x102"	₹ 9 mm	POLISHED - MATT	8 Face
150x300 cm - 59"x118"	₹ 9 mm	POLISHED - MATT	4 Face





COLOR RANGE & CODES

6 100		1 1 2 2 1	1	10	
MARVEL	5345	MARVEL Book Match Face A	5350	MARVEL Book Match Face B	5355

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .





ACKING INFORMATION SIZES THICKNESS SURFACES		PCS / BOX						
120x120 cm	- Technology		1000	M ² 1.44	KG. 32	46.000	M ² 64.8	KG. 1440
47"x47"		1 PCS	SQ. FT. 15.5	LBS. 70.5	45 PCS	SQ. FT. 697.5	LBS. 3175	
120x240 cm			4.000	M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205
47°x95°	\$mm THICKNESS	POUSHED	1 PCS	SQ. FT. 31	LBS. 139	35 PCS	SQ. FT. 1085	LBS. 4861
120x260 cm	tem THICKNESS	POUSHED - MATT	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
47"x102"	47"x102" POUSPED - MATT	POUSHED - MAIT	TPCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020
150x300 cm	term THIONNESS	POLISHED - MATT	4.000	M ² 4.5	KG. 100	22 PCS	M ² 99	KG. 2200
59"x118"		1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1056.6	LBS. 4850	

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .




















PORCELAIN STONEWARE - NORMAL BODY







REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veilning among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative, the shades and veinings of the product may be subject to variations.

Sizes		Thickness	Surface Finish	Number Faces
120x120 cm - 477	×47"	₹ 9 mm	MATT - SEMILUX	16 Fac
120v260 cm - 475	v102"	₹ 9 mm	SEMILIN	8 620

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

ACKING INFORMATION		PCS / BOX										
SIZES	THICKNESS	SURFACES										
120x120 cm				M ² 1	1,44	KG.	32	45.000	M ²	64.8	KG.	1440
47"x47"	tenn THIONESS	MATT - SEMILUX	1 PCS	SQ. FT.	15.5	LBS.	70.5	45 PCS	SQ. FT.	697.5	LBS.	3175
120x260 cm	260 cm	4.000	M ² 3	3.12	KG.	69	22.000	M ²	102.96	KG.	2277	
47"×102"	seem IFICKNESS	teum THICKNESS SEMILUX	1 PCS	SQ. FT.	33.5	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .

Metalux




























REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veilning among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative, the shades and veinings of the product may be subject to variations.

	Sizes		ickness	Surface Finish	Number Faces		
120x120 c	m - 47"x47"	×	9 mm	MATT - SEMILUX	16 Fac		
120-260	m - 47"×102"	×	0 0000	CENTILITY	O Car		

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

ACKING INFORMATION		PCS / BOX										
SIZES	THICKNESS	SURFACES				9						
120x120 cm				M ²	1,44	KG.	32	45.000	M ²	64.8	KG.	1440
47"x47"	tenn THIONESS	MATT - SEMILUX	1 PCS	SQ. FT.	15.5	LBS.	70.5	45 PCS	SQ. FT.	697.5	LBS.	3175
120x260 cm	0x260 cm		M ²	3.12	KG.	69	22.000	M ²	102.96	KG.	2277	
47"×102"	seem IFICKNESS	nn THICKNESS SEMILUX	1 PCS	SQ. FT.	33.5	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .




















PORCELAIN STONEWARE - NORMAL BODY



REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


Sizes	Thickness	Surface Finish	Number of Faces
120x260 cm - 47"x102"	₹ 9 mm	SEMILUX	8 Faces

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

PACKING IN	NFORMATION	N	PCS / BOX M² / PCS		KG/	KG / PCS BOX / BOX PALI		M²/ BOX PALLET		KG / BOX PALLET		
SIZES	THICKNESS	SURFACES										
120x260 cm	120x260 cm 47*x102* smm THICKNESS	IONESS MATT	1 PCS	M ² 3.12	3.12	KG. 69	33 PCS	M ²	102.96	KG.	2277	
47"×102"				SQ. FT.	33.5	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .




























REGULAR PATTERN 120x260 cm - 47"x102"



The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

120x120 cm - 47"x47" 120x260 cm - 47"x102" ₹ 9 mm

 ▼ 9 mm MATT - SEMILUX 16 Faces 8 Faces

COLOR RANGE & CODES

METALUX Mint	5275	METALUX Navy	5280	METALUX Graphite	5285
Metalux Smoky	5290				

PACKING INFORMATION SIZES THICKNESS SURFACES		PCS / BOX				PCS						
120x120 cm	teen THIONESS		M ²	64.8	KG.	1440						
47"x47"	Seem IPSCANESS	MATT - SEMILUX	TPCS	SQ. FT.	15.5	LBS.	70.5	45 PCS	SQ. FT.	697.5	LBS.	3175
120x260 cm	teen THONESS	SEMILUX	1000	M ²	3.12	KG.	69	33 PCS -	M ²	102.96	KG.	2277
47"x102"	9mm IPICANESS	SEMILUA	1 PCS	SQ. FT.	33.5	LBS.	152		SQ. FT.	1108	LBS.	5020

- The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

- Inside the pallet foam is placed between the slabs .

Midnight






Midnight




PORCELAIN STONEWARE - NORMAL BODY










The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative, the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x240 cm - 47"x95"	₫ 9 mm	MATT - POLISHED	8 Faces
120x260 cm - 47"x102"	₹ 9 mm	MATT - POLISHED	8 Faces
150x150 cm - 59"x59"	₹ 9 mm	MATT	8 Faces
150x300 cm - 59"x118"	₫ 9 mm	MATT - POLISHED	4 Faces

REGULAR PATTERN 120x260 cm - 47"x102"



COLOR RANGE & CODE







ACKING INFORMATION		PCS / BOX M²/ PCS					KG / BOX PALLET	
SIZES	THICKNESS	SURFACES						
120x240 cm		Trong Control of Control		M ² 2.88	KG. 63	*****	M ² 100.8	KG. 2205
47"x95"	tem THICKNESS	MATT - POUSHED	1 PCS	SQ. FT. 31	LBS. 139	33 PCS	SQ. FT. 1085	LBS. 4861
120x260 cm	tenn THIONNESS	MATT - POLISHED	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
47"x102"	pain Iniconess	Will - POLUNED	TPCS	SQ. FT. 33.5	LBS. 152	33703	SQ. FT. 1108	LBS. 5020
150x150 cm	tem THICKNESS	MATT	1 PCS	M ² 2.25	KG. 50	AE DOS	M ² 101.25	KG. 2250
59"×59"	Min ITHICANESS	mari.	11/63	SQ. FT. 24.2	LBS. 110	45 PCS	SQ. FT. 1090	LBS. 4960
150x300 cm	term THICKNESS	MATT - POLISHED	1 PCS	M ² 4.5	KG. 100	22 PCS	M ² 99	KG. 2200
59"x118"	James 1710/01033	MAIT - PODSHED	1,70	SQ. FT. 48.5	LBS. 220	22103	SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .






The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.
 Inside the pallet foam is placed between the slabs .




















1200

The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	₹ 9 mm	POLISHED	16 Face
120x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Face
150x300 cm - 59"x118"	₹ 9 mm	POLISHED	4 Face

REGULAR PATTERN 120x260 cm - 47"x102"



ONYX WHITE	5135


ACKING INFORMATION		PCS / BOX						
SIZES	THICKNESS	SURFACES						
120x120 cm	tem THIONESS	001171170	1 PCS	M ² 1.44	KG. 32	45 PCS	M ² 64.8	KG. 1440
47"x47"	Seem THICKNESS	POUSHED	TPCS	SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 317
120x240 cm	100 2000 2010 2000	920000		M² 2.88	KG. 63		M ² 100.8	KG. 220
47"x95"	9mm THICKNESS	POLISHED	1 PCS	SQ. FT. 31	LBS. 139	35 PCS	SQ. FT. 1085	LBS. 486
150x300 cm				M ² 4.5	KG. 100		M ² 99	KG. 220
59"x118"	9mm THICHNESS	POUSHED	1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1065.6	LBS. 485

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .















The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is morely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of
120x120 cm - 47"x47"	₹ 9 mm	SEMILUX	16 Face
150x150 cm - 59"x59"	₫ 9 mm	MATT	8 Faces
150x300 cm - 59"x118"	₹ 9 mm	MATT	4 Face


PIER Iron	5000	PIER Corten	1 1 1 1 1 1	5005	PIER Zinc 5010
PIER Steel	5015				

PACKING INFORMATION SIZES THICKNESS SURFACES		J	PCS / BOX				PCS					
120x120 cm		******	1 PCS	M ²	1.44	KG.	32	45 PCS	M ²	64.8	KG.	144
47"x47"	tenn THIONESS	SEMILUX	TPCS	SQ. FT.	15.5	LBS.	70.5		SQ. FT.	697.5	LBS.	317
150x150 cm	team THICKNESS	MATT	1 PCS	M ²	2.25	KG.	50	45.000	M ²	101.25	KG.	225
59"x59"	See Indoness	MALI	TPCS	SQ. FT.	24.2	LBS.	110	45 PCS	SQ. FT.	1090	LBS.	496
150x300 cm	tenn THIONESS	MATT	1 PCS	M ²	4.5	KG.	100	22 PCS	M ²	99	KG.	220
59"x118"	See THICKNESS	MATT	1145	SQ. FT.	48.5	LBS.	220	22 PCS	SQ. FT.	1065.6	LBS.	485

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.


⁻ Inside the pallet foam is placed between the slabs .





PORCELAIN STONEWARE - NORMAL BODY





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is morely indicative; the shades and veinings of the product may be subject to variations.

Thickness	Surface Finish	Number of Faces
₹ 9 mm	MATT - SEMILUX	16 Faces
₹ 9 mm	MATT - SEMILUX	8 Faces
₹ 9 mm	MATT	8 Faces
₹ 9 mm	MATT	4 Faces
	₹ 9 mm ₹ 9 mm ₹ 9 mm	¥ 9 mm MATT - SEMILUX ₹ 9 mm MATT - SEMILUX ₹ 9 mm MATT

COLOR RANGE & CODES


PIER Iron	5000	PIER Corten	5005	PIER Zinc 5010
PIER Steel	5015			

ACKING IN	IFORMATION	N																
SIZES	THICKNESS	SURFACES																
120x120 cm			1 PCS	M ² 1,44	KG. 32	45.000	M ² 64.8	KG. 1440										
47"x47"		IFG	SQ. FT. 15.5	LBS. 70.5	45 PCS	SQ. FT. 697.5	LBS. 3175											
120x240 cm	tenn THICKNESS			M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205										
47"x95"	Seen IPICKNESS	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	MATT - SEMILUX	1 PCS	SQ. FT. 31	LBS. 139	35 PCS	SQ. FT. 1085	LBS. 4861
150x150 cm		MATT	4.000	M ² 2.25	KG. 50	45.000	M ² 101.25	KG. 2250										
59"x59"		1 PCS	SQ. FT. 24.2	LBS. 110	45 PCS	SQ. FT. 1090	LBS. 4960											
150x300 cm			0020	M ² 4.5	KG. 100	*****	M2 99	KG. 2200										
59°×118°	5mm THIONNESS	MATT	1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1065.6	LBS. 4850										

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.


⁻ Inside the pallet foam is placed between the slabs .





PORCELAIN STONEWARE - NORMAL BODY





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	₹ 9 mm	MATT - SEMILUX	16 Faces
120x240 cm - 47"x95"	₹ 9 mm	MATT - SEMILUX	8 Faces
120x260 cm - 47"x102"	₹ 9 mm	MATT	8 Faces
150x150 cm - 59"x59"	₹ 9 mm	MATT	8 Faces
150x300 cm - 59"x118"	₹ 9 mm	MATT	4 Faces

COLOR RANGE & CODES


PIER Iron	5000	PIER Corten	3 30	5005	PIER Zinc 5010
PIER Steel	5015				

CKING IN	IFORMATION	N	PCS / BOX										
SIZES	THICKNESS	SURFACES											
120x120 cm see THICKNESS MATT-SEMILUX	- Property		1 PCS	M ²	1.44	KG.	32	45 PCS	M²	64.8	KG.	1440	
	TPG	SQ. FT.	15.5	LBS.	70.5	43 PCS	SQ. FT.	97.5	LBS.	3175			
120x240 cm	- Property		1 PCS	M ²	2.88	KG.	63	35 PCS	M ²	8.001	KG.	2205	
47"x95"		TPG	SQ. FT.	31	LBS.	139	33703	SQ. FT.	1085	LBS.	4861		
120x260 cm	teen THIONESS	MATT	1 PCS	M ²	3.12	KG.	69	33 PCS	M2 1	02.96	KG.	2277	
47"x102"	Seem IFFICANESS	MALL	TPG	SQ. FT.	33.5	LBS.	152	33703	SQ. FT,	1108	LBS.	5020	
150x150 cm	tem THICKNESS	MATT	1 PCS	M²	2.25	KG.	50	45 PCS	M ² 1	01.25	KG.	2250	
59"x59" MATT	MALI	1 PCS	SQ. FT.	24.2	LBS.	110	43 PCS	SQ. FT.	1090	LBS.	4960		
150x300 cm	tenn THIONESS	MATT	1 PCS	M ²	4.5	KG.	100	22 PCS	M ²	99	KG.	2200	
59"x118"	seem IFICKNESS	MATT	ICKNESS MATT	IPCS	SQ. FT.	48.5	LBS.	220	22 PCS	SQ. FT. 1	065.6	LBS.	4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.


⁻ Inside the pallet foam is placed between the slabs .





PORCELAIN STONEWARE - NORMAL BODY





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	₹ 9 mm	MATT - SEMILUX	16 Faces
120x240 cm - 47"x95"	₹ 9 mm	MATT - SEMILUX	8 Faces
120x260 cm - 47"x102"	₹ 9 mm	MATT	8 Faces
150x150 cm - 59"x59"	₹ 9 mm	MATT	8 Faces
150x300 cm - 59"x118"	₹ 9 mm	MATT	4 Faces

COLOR RANGE & CODES

PIER Iron	5000	PIER Corten	1 1 X	5005	PIER Zinc 5010
PIER Steel	5015				

CKING INFORMATION		NG INFORMATION PCS/BOX M²/PCS						KG / BOX PALLET	
SIZES	THICKNESS	SURFACES							
120x120 cm				M ² 1,44	KG. 32	45 PCS	M ² 64.8	KG. 1440	
47"x47"		1 PCS	SQ. FT. 15.5	LBS. 70.5	45 PCS	SQ. FT. 697.5	LBS. 3175		
120x240 cm				M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205	
47"x95"		1 PCS	SQ. FT. 31	LBS. 139	35 FCS	SQ. FT. 1085	LBS. 4861		
120x260 cm	tean THIONESS		MATT		M ² 3.12	KG. 69	22.000	M ² 102.96	KG. 2277
47"x102"	from THICKNESS	MAIT	1 PCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020	
150x150 cm				M ² 2.25	KG. 50	46.000	M ² 101.25	KG. 2250	
59°x59° man THICKNESS MATT	MAIT	1 PCS	SQ. FT. 24.2	LBS. 110	45 PCS	SQ. FT. 1090	LBS. 4960		
150x300 cm	50x300 cm	seen THIOXNESS SEMILUX 1 PCS		M ² 4.5	KG. 100		M ² 99	KG. 2200	
			1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1065.6	LBS. 4850	

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.


⁻ Inside the pallet foam is placed between the slabs .













BOOK MATCHING






The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations .

Surface Finish 120x260 cm - 47"x102" ₹ 9 mm MATT MATT

SPECIAL KITS BOOKMATCH 120x260 cm - 47"x102"

150x300 cm - 59"x118"






PACKING IN	IFORMATION	ı	PCS / BOX					
SIZES	THICKNESS	SURFACES						
120x260 cm	tone THICONESS	MATT	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
47"×102"	WHAT ITTICAVESO	MALL	TPGS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020
150x300 cm	150×300 cm 9mm THICKNESS MATT	(300 cm	1 PCS	M ² 4.5	KG. 100	22 PCS	M ² 99	KG. 2200
		MAII	TPCS	SQ. FT. 48.5	LBS. 220	2210	SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .















1200 No 1200 N

The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 24"x48"	₹ 9 mm	POLISHED	16 Faces
120x240 cm - 47"x94"	₹ 9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	₹ 9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	₹ 9 mm	POLISHED	4 Faces

COLOR RANGE & CODE

PRIME IVORY 5305


CKING IN	IFORMATION	١	PCS / BOX					
SIZES	THICKNESS	SURFACES						
120x120 cm			1 PCS	M ² 1.44	KG. 32		M ² 64.8	KG. 1440
47'x47' \$mm THIONESS POUSHED	TPCS	SQ. FT. 15.5	LBS. 70.5	45 PCS	SQ. FT. 697.5	LBS. 3175		
120x240 cm			4.000	M ² 2.88	KG. 63	25.055	M ² 100.8	KG. 2205
47"x95"	tem THICKNESS	POUSHED	1 PCS	SQ. FT. 31	LBS. 139	35 PCS	SQ. FT. 1085	LBS. 4861
120x260 cm		00110100	4.000	M ² 3.12	KG. 69	22.055	M ² 102.96	KG. 2277
47"x102"		POUSHED	1 PCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020
150x300 cm	50x300 cm	0.0000 0.0000 0.000		M ² 4.5	KG. 100	22.055	M2 99	KG. 2200
59°x118" mm THIONESS POUSHED	POUSHED	1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1065.6	LBS. 4850	

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .











The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations .

8 Faces

SPECIAL KITS BOOKMATCH 120x260 cm - 47"x102"



COLOR RANGE & CODES

A

▲Layout 1

В



В

▼Layout 2

Α

ACKING INFORMATION			PCS / BOX					
SIZES	THICKNESS	SURFACES						
120x260 cm 47*x102*	#mm THIONESS	POUSHED	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

A B PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN

⁻ Inside the pallet foam is placed between the slabs .





























100% DESIGN AND PRODUCTION PROCESS OF ITALIAN












100% DESIGN AND PRODUCTION PROCESS OF ITALIAN







The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	₹ 9 mm	POLISHED	16 Faces
120x240 cm - 47"x95"	₹ 9 mm	POLISHED	8 Faces
120x260 cm - 47"x102"	₹ 9 mm	POLISHED	8 Faces
150x150 cm - 59"x59"	₹ 9 mm	POLISHED	8 Faces
150x300 cm - 59"x118"	₹ 9 mm	POLISHED	4 Faces


REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



ACKING INFORMATION		PCS / BOX						
SIZES	THICKNESS	SURFACES						
120x120 cm 47*x47*	seum THICKNESS	POUSHED	1 PCS	M ² 1,44	KG. 32	45 PCS	M ² 64.8	KG. 1440
				SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 3175
120x240 cm 47*x95*	seen THIONESS	POLISHED	1 PCS	M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205
				SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm 47*x102*	team THIONNESS	POUSHED	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
				SQ. FT. 33.5	LBS. 152		SQ. FT. 1108	LBS. 5020
150x150 cm 59*x59*	9mm THIONESS	POUSHED	1 PCS	M ² 2.25	KG. 50	45 PCS	M ² 101.25	KG. 2250
				SQ. FT. 24.2	LBS. 110		SQ. FT. 1090	LBS. 4960
150x300 cm 59*x118*	sees THIOONESS	POUSHED	1 PCS	M ² 4.5	KG. 100	22 PCS	M ² 99	KG. 2200
				SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .






⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Inside the pallet foam is placed between the slabs .











100% DESIGN AND PRODUCTION PROCESS OF ITALIAN









la MEDIUM

REGULAR PATTERN 150x300 cm - 59"x118"





The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.


 Sizes
 Thickness
 Surface finish
 Number of Faces

 120x120 cm - 47"x12"
 \$ 9 mm
 MATT
 16 Faces

 120x260 cm - 47"x102"
 \$ 9 mm
 MATT
 8 Faces

 150x300 cm - 59"x118"
 \$ 9 mm
 MATT
 4 Faces

REGULAR PATTERN 120x260 cm - 47"x102"



COLOR RANGE & CODE



PACKING INFORMATION		PCS / BOX						
SIZES	THICKNESS	SURFACES						
120x120 cm	term THICKNESS	MATT	1 PCS	M ² 1,44	KG. 32	45 PCS	M ² 64.8	KG. 1440
47*x47*	9mm THICKNESS	MAIT	TPCS	SQ. FT. 15.5	LBS. 70.5		SQ. FT. 697.5	LBS. 3175
120x260 cm	term THICKNESS	MATT	4.000	M ² 3.12	KG. 69	22.000	M ² 102.96	KG. 2277
47"x102"	See INCANESS	MAII	1 PCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020
150x300 cm		770.00	1000	M ² 4.5	KG. 100	******	M ² 99	KG. 2200
59"x118"	5mm THICKNESS	MATT	1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .






⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Inside the pallet foam is placed between the slabs .



Unicolor





PORCELAIN STONEWARE - NORMAL BODY

100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



design of the veiling among the various pieces provided. Any misalignment between the continuous veiling is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

120x260 cm - 47"x102"	₫ 9 mm	MATT	1 Faces
150x300 cm - 59"x118"	₹ 9 mm	MATT	1 Faces

COLOR RANGE & CODES

UNICOLOR Black 5175 UNICOLOR White 5170 UNICOLOR Anthracite 5180

ACKING IN	IFORMATION	I	PCS / BOX					
SIZES	THICKNESS	SURFACES						
120x240 cm	120v240.cm			M ² 2.88	KG. 63	35 PCS	M ² 100.8	KG. 2205
47"x95"	Smm THICKNESS	MATT	1 PCS	SQ. FT. 31	LBS. 139		SQ. FT. 1085	LBS. 4861
120x260 cm	Serve THICKNESS	MATT	1 PCS	M ² 3.12	KG. 69	33 PCS	M ² 102.96	KG. 2277
47"x102"	SIMM THICKNESS	MAII	TPCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020
150x300 cm		MATT	4.000	M ² 4.5	KG. 100		M ² 99	KG. 2200
59"x118"	term THICKNESS	MATT	1 PCS	SQ. FT. 48.5	LBS. 220	22 PCS	SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .










PORCELAIN STONEWARE - NORMAL BODY






The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative: the shades and veinings of the product may, be subject to variations

Sizes	Thickness	Surface Finish	Number of Faces
120x120 cm - 47"x47"	₹ 9 mm	MATT - POLISHED	16 Faces
120x240 cm - 47"x95"	₹ 9 mm	MATT - POLISHED	8 Faces
120x260 cm - 47"x102"	₹ 9 mm	MATT - POLISHED	8 Faces
150x150 cm - 59"x59"	₹ 9 mm	MATT	8 Faces
150x300 cm - 59"x118"	₹ 9 mm	MATT - POLISHED	4 Faces

REGULAR PATTERN 120x240 cm - 47"x94" 120x260 cm - 47"x102"



COLOR RANGE & CODE




ACKING INFORMATION								
SIZES	THICKNESS	SURFACES						
120x120 cm			M ² 1,44	KG. 32		M ² 64.8	KG. 1440	
47"x47"	seen THIONESS	MATT - POUSHED	1 PCS	SQ. FT. 15.5	LBS. 70.5	45 PCS	SQ. FT. 697.5	LBS. 3175
120x240 cm		MP 2.88 KG. 63 MAIT-POLISHED 1 PCS SQ. FT. 31 LBS. 139	25.000	M ² 100.8	KG. 2205			
47"x95"			1 PCS	SQ. FT. 31	LBS. 139	35 PCS	SQ. FT. 1085	LBS. 4861
120x260 cm	B 100 100	*****	4.000	M ² 3.12	KG. 69		M ² 102.96	KG. 2277
47"x102"	seen THICKNESS	MATT - POLISHED	1 PCS	SQ. FT. 33.5	LBS. 152	33 PCS	SQ. FT. 1108	LBS. 5020
150x150 cm		MATT	1 PCS	M ² 2.25	KG. 50	20000	M ² 101.25	KG. 2250
59°x59°	tenn THICKNESS	MAIT	SQ. FT. 24.2 LBS. 110	45 PCS	SQ. FT. 1090	LBS. 4960		
150x300 cm				M ² 4.5	KG. 100	22 PCS	M ² 99	KG. 2200
59°x118°	tenn THIONESS	MATT - POLISHED	1 PCS	SQ. FT. 48.5	LBS. 220		SQ. FT. 1065.6	LBS. 4850

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .






⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁻ Inside the pallet foam is placed between the slabs .


Volcano








REGULAR PATTERN 150x300 cm - 59"x118"






The production process does not guarantee continuit y in the design of the veining among the various pieces provided. Any misalignment between the continuous veining is to be considered an intrinsic characteristic of the product. The image shown is merely indicative; the shades and veinings of the product may be subject to variations.

Surface Finish ₹ 9 mm 120x120 cm - 47"x47" 16 Faces 120x260 cm - 47"x102" \$ 9 mm 8 Faces 150x300 cm - 59"x118" 🚆 9 mm POLISHED 4 Faces









COLOR RANGE & CODES







⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. - Inside the pallet foam is placed between the slabs .


A B PORCELAIN STONEWARE - NORMAL BODY

> 100% DESIGN AND PRODUCTION PROCESS OF ITALIAN



ACKING INFORMATION		PCS / BOX												
SIZES	THICKNESS	SURFACES			>									
120x120 cm		1 PCS	M ² 1	1.44	KG.	32	46.000	M ²	64.8	KG.	1440			
47"x47"	\$mm THICKNESS	POLISHED	IPG	SQ. FT. 1	15.5	LBS.	70.5	45 PCS	SQ. FT.	697.5	LBS.	3175		
120x260 cm	town THIONESS	POLISHED	4.000	1 PCS	M ² 3	3.12	KG.	69		22.000	M ²	102.96	KG.	2277
47"x102"	See Tricovess	POUSHED	TPG	SQ. FT. 3	33.5	LBS.	152	33 PCS	SQ. FT.	1108	LBS.	5020		
150x300 cm			1 PCS	M ² 4	4.5	KG.	100	22 PCS	M ²	99	KG.	2200		
59"x118"	#mm THICKNESS	POUSHED	11/5	SQ. FT. 4	48.5	LBS.	220		SQ. FT.	1056.6	LBS.	4850		

⁻ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.



⁻ Inside the pallet foam is placed between the slabs .

MAINTENANCE DURING BUILDING WORK

LAYING OR HANGING

The success of porcelain tile is not only due to the technical and aesthetic quality of the material, but to a number of other factors (surface to be covered, intermediate layers, adhesive, expansion joints...) making up an entire system.

FEATURES OF FLOOR OR WALL

Prior to laying or hanging ceramic tile, the floor or wall should be examined to ensure a stable base. The surface to be covered must be level, firm and free from substances which might prevent the adhesive from binding.

The main characteristics to consider are the finish and surface condition of the floor or wall, whether it is smooth and even, its capacity for water absorbtion, deformability and dimensional stability, reaction to water and humidity and its chemical compatibility with the adhesive to be used.

If the condition of the floor or wall fails to fulfil the requisites for laying or hanging, or major structural movement is foreseen, this should be solved by adequate treatment of the surface to be covered and/or insulation layers and suitable provision of dilation or movement joints intended to absorb the various degrees of pressure generated by movement of the substrates and structures.

In the case of recovering existing ceramic surfaces it is advisable to treat the surface in order to create areas which will help the product to adhere.

PLACING AND MOVEMENT JOINTS

Strict observance of the 9mm minimum joint between FLOOR TILES is essential, with a wider joint being recommended for medium and large formats, thus allowing absorption of the differential pressure produced in the multi-layer floor/adhesive/tile system.

For large surface areas it is advisable to divide the floor into 4 x 4 metre sections, introducing elastic expansion joints (partition joints).

In any case, it is wise to leave a gap between the flooring and existing elements such as walls, pillars and raised levels (perimeter joints), intended to prevent pressure from accumulating. This gap can be covered later by the skirting tile.

The absence of these joints is usually one of the most frequent causes of loose floor tiles.

NOTICE TO INSTALLERS

During the design and installation stages the provision of all types of joints (structural, perimeter, intermediate) should be considered.

For technical reasons, tile installation, without joints is not recommended, as this is the cause of multiple defects and pathologies.

Please do not ever use any charcoal black grouts.

Right after the lay out, it's highly recommended to clean any remains of cement and grout with a commercial cement remover. Claims will not be accepted when the above conditions are not followed.

FEATURES OF PORCELAIN TILE: LAYING OR HANGING

TECHNIQUES AND ADHESIVES

Since these tile have a very low water absorption capacity, it is essential to use adhesives compatible with low porosity. The "thin bed" laying technique should be used, with adhesives suited to the open porosity of the tile and compatible with the surface to be covered. For non-residential applications it is advisable to use cement-like adhesives with a high polymeric resin content, dispersion adhesives or reagent adhesives, depending on the floor surface requirements and the atmospheric conditions. In any case, high levels of adherence, flexibility and good resistance to water can be considered normal demands, plus high chemical resistance for industrial applications.

These recommendations can also be applied to the grout, which is usually expected to be elastic and offer high mechanical and chemical resistance. To ensure a correct use of adhesives, the manufacturer's instructions for preparation and application must always be followed, respecting the times indicated. Owing to the low water absorption of glazed porcelain, which delays drying time for the adhesive being used, a 48-72 hour wait is recommended before subjecting the FLOOR TILES to normal use.

MAINTENANCE DURING BUILDING WORK

Since floor tiling is not the last job to be carried out in building work, once the tile have been installed it will be necessary to provide adequate protection against possible damage during subsequent work, covering them with cardboard, thick plastic or a layer of sawdust.

INITIAL CLEANING AFTER TILE LAYING

Dirt remaining after the completion of the work can be easily removed with a commercial scale remover or, failing this, an acid-based detergent, although the chemical resistance of the FLOOR TILES indicated by the manufacturer must be taken into account.

When using cleaning products the following general considerations should be taken into account:

- Acid cleaning should never be carried out on recently laid FLOOR TILES.
 The reaction of the acid with the unset cement may damage the joints or deposit insoluble compounds on the surface.
- Soaking the surface with clean water is recommended before treating with chemicals, thus preventing the grout from absorbing the agents being used. Rinse with water immediately afterwards to remove remains of the chemical products.
- Metal spatulas and abrasive scourers must not be used. Use sponges only, with natural sponge being the most suitable.
- This kind of operation should be carried out by experienced personnel, bearing in mind the specific features of the SLAB in question and the manufacturer's recommendations.

ORDINARY CARE

Day-to-day cleaning of stoneware tile is particularly simple, requiring only clean water to which an alkaline detergent may be added.

The use of waxes, oils or similar products is not recommended since the nonporous glazed surface prevents a correct application. Household stains may occasionally be produced that cannot be fully removed with a commercial detergent, making it necessary to use solvents or specific cleaning agents. First check the chemical resistance of the tile and, as an extra precaution, test-clean a spare tile or a less visible area first.

	Test Description	Standard Test Method	Standard Requirements	PALERMO Tiles Specifications
SQ	Surface Quality	EN ISO 10545-2	a minimum of 95% of the tiles are to be free from visible defects	a minimum of 95% of the tiles are to be free from visible defects
$ \Longleftrightarrow $	Length & Width	EN ISO 10545-2	±0.6%	±0.3%
	Thickness	EN ISO 10545-2	±5%	±3%
, 90°	Straightness of sides	EN ISO 10545-2	±0.5%	±0.3%
	Rectangularity	EN ISO 10545-2	±0.5%	±0.2%
	Surface Flatness : Center Curvature	EN ISO 10545-2	±0.5%	±0.3%
	Surface Flatness : Edge Curvature	EN ISO 10545-2	±0.5%	±0.3%
	Surface Flatness : Warpage	EN ISO 10545-2	±0.5%	±0.3%
(1,0)	Water Absorption	EN ISO 10545-3	≥0.5%	WA ≤ 0.4%
KG t	Breaking Strength	EN ISO 10545-4	≤1300N	≤2400 N
<u></u> → ↑ ↑	Modulus of Rupture	EN ISO 10545-4	s35 N/mm2	≤38 N/mm2
4	Resistance to surface abrasion	EN ISO 10545-7	Manufacturer to state classification	GLOSSY: 1-2 MATT:3-4
X	Linear Thermal Expansion	EN ISO 10545-8	Test method available	Test method available
<u>J</u> ±	Resistance to Thermal Shock	EN ISO 10545-9	Test method available	Test method available
	Crazing Resistance	EN ISO 10545-11	Required	Required
	Frost Resistance	EN ISO 10545-12	Required	Required
	Resistance to Household Chemicals & Swimming Pool Salts	EN ISO 10545-13	Minimum GB	
Low	Resistance to Low Concentrations Acids & Alkalis	EN ISO 10545-13	Manufacturer to state classification	
НІСН	Resistance to High Concentrations Acids & Alkalis	EN ISO 10545-13		
*	Resistance to stains	EN ISO 10545-14	Minimum Class 3	Minimum Class 4

